

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1	("3,556,045").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/16 18:08
S3	4307	(indicator or display or indicating) with (wheel near6 (location or position or angle))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/03 14:55
S4	461942	angle with (above or more or higher or upper or larger or at least or equal)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/03/03 15:35
S5	162	S3 same S4	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/03/03 14:58
S6	278896	angle near6 (above or more or higher or upper or larger or at least or equal)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/07/21 14:39
S7	69	S3 same S6	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/03/03 16:15
S8	6191	wheel near5 angle near4 (sensor or detector or sensing or detecting)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/07/21 14:39
S9	22	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/03/03 16:16
S10	1	S9 and (led or light adj emitting or shutter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/03/03 16:26
S11	28	S8 with (led or light adj emitting or shutter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/03/03 19:26
S12	2	((("5742918") or ("4860457")).PN.	US-PGPUB; USPAT	OR	OFF	2005/03/03 19:36
S13	4482	((340/438) or (340/686.1) or (340/686.3) or (701/70) or (701/71) or (701/72) or (701/82) or (701/41)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/03 19:37

EAST Search History

S14	6	((("4,947,151") or ("5,289,369") or ("6,420,967") or ("6,438,467") or ("20010032236") or ("20030006895")).PN.	US-PGPUB; USPAT	OR	OFF	2005/03/04 11:22
S15	1631	((340/933) or (340/934) or (340/442) or (340/447) or (340/10.52)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/04 12:11
S16	67608	(identify or identifying or identified) near6 (location or positional or positional)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 11:30
S17	3218954	location or locating or located	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 11:23
S18	131407	(S16 or S17) with (vehicle or automobile or car)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 11:31
S19	21326	(sensor or sensing or detector or detecting) with (state or status or condition) same (transmit or transmitting or transmitted or transmitter) same (received or receive or receiving or receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 11:25
S20	234	(sensor or sensing or detector or detecting) with (state or status or condition) same (transmit or transmitting or transmitted or transmitter) with (id or identification) same (received or receive or receiving or receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 12:08
S21	30	S18 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 11:30
S22	728197	track or tracking or tracked	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 11:32
S23	172651	(S16 or S17 or S22) with (vehicle or automobile or car)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 11:31
S24	43557	S22 with (receiver or receiving)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 11:32

EAST Search History

S25	5	S23 and S20 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 15:11
S26	1	S25 and (tire or wheel)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 12:05
S27	361	(340/447).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/04 12:11
S28	1259	(340/572.1).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/04 15:11
S29	1	("4860457").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/16 18:09
S30	289563	angle near6 (above or more or higher or upper or larger or at least or equal)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/07/21 14:39
S31	6503	wheel near5 angle near4 (sensor or detector or sensing or detecting)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/07/21 14:53
S32	506	S30 same S31	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/07/21 14:39
S33	4456	(indicator or display or indicating) with (wheel near6 (location or position or angle))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 14:39
S34	54	S32 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/07/21 14:47
S35	191	wheel near5 angle near5 slip with (sensor or detector or sensing or detecting)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/08/10 19:38
S36	7	S35 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/08/10 17:43
S37	0	("des398994").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/10 17:43
S38	1	("d398994").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/10 17:43

EAST Search History

S39	290904	angle near6 (above or more or higher or upper or larger or at least or equal)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/08/10 19:38
S40	6545	wheel near5 angle near4 (sensor or detector or sensing or detecting)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/08/10 19:38
S41	509	S39 same S40	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/08/10 19:38
S42	4481	(indicator or display or indicating) with (wheel near6 (location or position or angle))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/10 19:38
S43	54	S41 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/08/10 19:53
S44	193	wheel near5 angle near5 slip with (sensor or detector or sensing or detecting)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/08/10 19:38
S45	0	S43 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/08/10 19:38
S46	6284	wheel near5 position with (indicator or indication or indicate or indicating or indicated or display or displaying or displayed)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/08/10 20:17
S47	328	S46 and "340"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/08/10 20:17
S48	1073	wheel near5 position with indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/08/10 20:17
S49	72	S48 and "340"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/08/10 21:49
S50	1073	wheel near5 position with indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2006/02/13 15:02

EAST Search History

S51	72	S50 and "340"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/08/10 21:49
S52	72	S51 and wheel near5 position	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/08/10 21:50
S53	1	S52 and shutter same light same aperture	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/08/10 21:51
S54	1	S52 and shutter same light	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/08/10 21:50
S55	25	shutter same light same aperture same wheel near3 position	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/08/10 21:51
S56	1098	wheel near5 position with indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2006/02/13 15:02
S57	1862	wheel with steered with position	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2006/02/13 15:03
S58	28	S56 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2006/02/15 15:20
S59	0	S58 and off\$1 road	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2006/02/13 15:28
S60	1862	wheel with steered with position	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2006/02/15 15:20
S61	25	S60 with (display or indicator)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2006/02/15 15:48
S62	15	S61 and (display or indicator) with (on\$1 or off\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2006/02/15 15:50

EAST Search History

S63	8	S61 and (display or indicator) with (activ\$5 or energiz\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2006/02/15 15:50
-----	---	---	---	-----	----	------------------